





OG8001/N - Opus 800 Natural Gas Freestanding Oven Range - 4 Burners - W 600 mm -36.8 kW This powerful Opus 800 gas oven is built to deliver high volumes of top quality food and will withstand the rigours of even the busiest kitchen.

- Powerful 7.5kW dual concentric Burners for focused heat distribution from a fast boil to a low simmer
- Individual heavy-duty single cast iron supports,
 built to withstand the rigours of the busiest kitchen
- Low flue to allow use of the complete hob top
- Powerful 6.8kW oven
- Large 2 x GN1/1 capacity oven enabling two different foods to be cooked simultaneously
- Gas Oven Ranges

| Specifications | | | |
|--|-----------------------------------|---------------------------------|------------|
| Summary | | Power and Performance | |
| Range Name | Opus 800 | BTU per Hour | 125,561 |
| Power Type | Gas | Gastronorm Capacity | 2 x GN1/1 |
| Gas Type | Natural Gas | Total Power kW | 36.8 |
| Unit Type | Free-standing | Temperature Range °C | 120 - 280 |
| Available in UK Only | No | Cooking Area (Width x Depth) mm | 600 x 600 |
| UK Warranty | 2 Years Parts and Labour Warranty | Temperature Control | Mechanical |
| Export Warranty | Contact your local dealer | Rating per Hob kW | 7.5 |
| GTIN Code | 5056105102168 | Oven Rating kW | 6.8 |
| Key Specifications | | Weights and Dimensions | |
| Number of Shelves included | 2 | Unit Height (External) mm | 920 |
| Number of Shelf Positions | 4 | Unit Width (External) mm | 600 |
| Number of Hobs | 4 | Unit Depth (External) mm | 800 |
| Shape of Hob | Square | Height (Internal) mm | 405 |
| | | Width (Internal) mm | 495 |
| | | Depth (Internal) mm | 530 |
| | | Shelf Dimensions Width mm | 480 |
| | | Shelf Dimensions Depth mm | 530 |
| | | Hob Dimensions mm | 300 × 300 |
| | | Net Weight Kg | 99.5 |
| Supply Connections | | Shipping | |
| Requires Installation | Yes | Packed Weight Kg | 112 |
| Requires Electrical Supply | No | Packed Height cm | 105 |
| Gas Connection BSP | 1/2" | Packed Width cm | 70 |
| Gas Consumption at full rate Natural m³ per Hour | 3.51 | Packed Depth cm | 85 |
| Gas Pressure Natural mbar | 20.0 | | |
| Total heat input at full rate Natural kW | 36.8 | | |
| Total heat input at full rate Natural BTU per hour | 125,561 | | |

Available Accessories

CH01 NULL
CH02 NULL





Available Accessories


LK06


NULL


OA8901

SPLASHBACK/SHELF - 0G8001

Technical Picture













Lincat Limited

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

Company No: 2175448

A member company of

Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 503250

Email: export@lincat.co.uk

Opening Hours

Monday - Friday:

8.30am - 5pm