





OG8107/N - Lincat Opus 800 Natural Gas Freestanding Single Tank Fryer - 2 Baskets - W 600 mm - 30.0 kW

The incredibly accurate Opus 800 Single-Tank Free Standing Gas Fryer is equipped with an accurate thermostatic control system. This goes up to 190°C — ensuring consistent results and safe operation.

- Accurate thermostatic control up to 190°C for consistent results and safe operation
- Convenient piezo ignition

Externally fired heating gives easy access for cleaning tanks

_			4.0	
S	nec	itic	atic	ns
				410

Summary		Power and Performance	
Brand	Lincat	BTU per Hour	102,360
Range	Opus 800	Total Power kW	30.0
Power Type	Gas	Temperature Range °C	90-190
Gas Type	Natural Gas	Temperature Control	Mechanical
Unit Type	Free-standing		
Available in UK Only	No		
UK Warranty	2 Years Parts and Labour Warranty		
Export Warranty	Contact your local dealer		
GTIN	5056105103059		

Key Specifications		Capacity	
Number of Baskets	2	Product Output per Hour	39kg chips - 12mm[frozen], 53kg chips -
Number of Tanks	1	r roduct Output per riodi	12mm [chi
Gravity Filtration	No	Capacity Litres	25.0
Pumped Filtration	No		
Drain Location	Through the body		

Requires Installation Yes Requires Electrical Supply No	
One Compaction DOD	
Gas Connection BSP 1/2"	
Gas Consumption at full rate Natural 2.86 m³ per Hour	
Gas Pressure Natural mbar 20.0	
Total heat input at full rate Natural 30.0	
Total heat input at full rate Natural 102,364	
	Gas Consumption at full rate Natural m³ per Hour Gas Pressure Natural mbar Total heat input at full rate Natural kW Total heat input at full rate Natural 102,364

Shipping

Packed Weight Kg	125
Packed Height cm	122
Packed Width cm	70
Packed Depth cm	85

Available Accessories

BA159	WIRE BASKET
LK02	OPUS 350 LEG KIT
OA8955	SPLASHGUARD FRYERS - OPUS 800







Available Accessories


OF2

Oil filter kit - size 2

Technical Picture













Lincat Limited

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

Company No: 2175448

A member company of

Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 503250

Email: export@lincat.co.uk

Opening Hours

Monday - Friday:

8.30am - 5pm



Product Code: 0G8107/N Page Number: 3 Print Date: 07/02/2020