





OG8402/N - Opus 800 Natural Gas Counter-top Chargrill - W 900 mm -23.0 kW Embrace the unique power and versatility of the Opus 800 Five-Zone Gas Chargrill, which provides five heat zones capable of maintaining different temperatures on the same surface, allowing you to cook chicken fillets only inches away from steaks.

- Five multiple heat zones capable of maintaining different temperatures on the same surface, allowing you to cook chicken fillets only inches away from steaks. Individual zones can be turned off during quiet periods.
- Highly powerful infra-red burners respond quicker and heat faster than standard burners allowing you to increase your output and achieve energy savings
- Heavy-duty cast iron branding grids with reversible design, for uninterrupted cooking and self cleaning at maximum power

- Flame failure protection
- Heavy duty radiant caps protect burners

Specifications

- простисительной при					
Summary		Power and Performance			
Range Name	Opus 800	BTU per Hour	78,479		
Power Type	Gas	Total Power kW	23.0		
Gas Type	Natural Gas	Cooking Area (Width x Depth) mm	800 × 620		
Unit Type	Counter-top	Temperature Control	Mechanical		
Available in UK Only	No				
UK Warranty	2 Years Parts and Labour Warranty				
Export Warranty	Contact your local dealer				
GTIN Code	5056105102830				

Export Warranty	Contact your local dealer		
GTIN Code	5056105102830		
Key Specifications		Weights and Dimensions	
Number of Heat Zones	5	Unit Height (External) mm	653
		Unit Width (External) mm	900
		Unit Depth (External) mm	806
		Net Weight Kg	115
Supply Connections		Shipping	
Requires Installation	Yes	Packed Weight Kg	132.5
Requires Electrical Supply	No	Packed Height cm	79
Gas Connection BSP	1/2"	Packed Width cm	100
Gas Consumption at full rate Natural m³ per Hour	2.19	Packed Depth cm	85
Gas Pressure Natural mbar	20.0		
Total heat input at full rate Natural kW	23.0		
Total heat input at full rate Natural BTU per hour	78,409		

Available Accessories

CH01	NULL
CH02	NULL






Available Accessories


OA8951 Opus 800 Free-standing Floor Stand with Legs - for units W 900 mm


OA8951/C Opus 800 Free-standing Floor Stand with Castors - for units W 900 mm

RC03M RADIANT COVER - OPUS 800 - UNDER DEVELOPMENT

Technical Picture













Lincat Limited

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

Company No: 2175448

A member company of

Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 503250

Email: export@lincat.co.uk

Opening Hours

Monday - Friday:

8.30am - 5pm